

ATLET

The Atlet
truck range



Meet the Atlet family. With the DNA for maximum uptime.

Flexibility and reliability are essential to survive and prosper in today's business environment. And nowhere is this more evident than in material handling.

That's why we at Atlet pioneered a unique product concept that increases reliability through component flexibility. With just seven basic chassis and a wide range of modules, we can offer thousands of customised Atlet truck variants – each one built with exceptional technical and ergonomic standards for your specialised tasks – with interchangeable components.

This concept also allows us to minimise the number of parts and components, which is one of the reasons behind Atlet's superior after sales service. By only having to deal with a limited number of components, our mobile service engineers can fix over 95% of all breakdowns – on the first call.

Atlet engineering simply translates into less downtime and more uptime. And that can mean a lot for your business.

Welcome to the family.




Loading, unloading and transportation



PICCOLO PLL Compact pedestrian pallet truck

For loading/unloading on dock levellers and short distance internal transport. Comfortable and safe to drive with offset tiller arm. ATC for PIN code access, driver category setting and on-board diagnostics. Climbing wheels.
Lift capacity 1450/1800/2000 kg



DUO PLE Compact pedestrian pallet truck with fork lift

For shopfloor replenishing, order picking and short distance internal transports. Comfortable and safe to drive with offset tiller arm. ATC for PIN code access, driver category setting and on-board diagnostics. Climbing wheels.
Lift capacity 1800 kg
Lift height 730 mm



PRESTO PLP Stand-on pallet truck

For internal transport and loading/unloading on dock levellers. Foldable platform and foldable side protection gates or fixed driver platform. Friction Force for optimum traction in all conditions.
Lift capacity 2000/2500 kg

ERGO ALL/XLL Stand-in and sit-on low lifters



For internal transport in heavy-duty operations, long travel distances. Excellent visibility. Wide range of options and handling attachments. AC. Stability Support Systems S3. ATC for PIN access code.
Lift capacity 2000 kg

Stacking



DOPPIO PSD Compact pedestrian stacker for double pallet handling

For loading/unloading on dock levellers, double pallet stacking and short distance internal transport. Dual lift capability for unloading 2 pallets at once from double stacked los. Offsrireet tiller arm. Pin code access and on-board diagnostics with Atlet truck computer.
Lift capacity 1250 kg, 1600 kg on the straddles
Lift heights up to 2 metres

SOLO PSL Compact pedestrian stacker

For loading/unloading, stacking and short internal transport. Light weight suitable for higher raised floors.
Lift capacity 1250 kg
Lift height up to 2 metres

ALTO PS Compact pedestrian stacker

For stacking and short distance internal transport. Ideal in tight spaces. Offset tiller arm, AC and four-wheel design. Pin code access and on-board diagnostics with Atlet truck computer.
Lift heights up to 3.6 metres
Lift capacity 1250 kg



ALTO PSH
Heavy duty version up to 4.8 metres lift
Lift capacity 1600/2000 kg
Lift heights up to 4.8 metres

NOVA TSP Stand-on pedestrian stacker

Versatile ride-on stacker for stacking, internal transport, double pallet handling and order picking. Foldable or fixed driver platform. Foldable side protection gates.
Lift capacity 1200/1400/1500 kg
Lift heights up to 5.4 metres



ERGO A
Stand-in stacker
 Pioneered by Atlet

Versatile, space saving, stand-in stacker for efficient stacking, internal transport, double pallet handling. Foldable side stabilisers for higher residual capacity. Junior and senior versions. AC. Stability Support System (S3).

Lift capacity
 1600/2000 kg
Lift heights up to 6.3 metres



ERGO X
Sit-on stacker
 Pioneered by Atlet

Versatile and space saving. For stacking, internal transport and double pallet handling. Foldable side stabilisers for higher residual capacity. Junior and senior versions. ATC truck computer with PIN code access. AC. Stability Support System (S3).

Lift capacity 1600/2000 kg
Lift heights up to 6.3 metres



ERGO XML
Sit on double stackers

Lift capacity 1600 kg
Lift height 1.5 metres

ERGO ATF/XTF
Telereach stacker stand-in and sit-on telescopic forks



Telescopic forks to reach double-pallet depth into racking or block stacks, and for extra reach when loading vehicles. Normal handling with forks retracted. Junior and senior versions ATC truck computer with PIN code access. AC. Stability Support System (S3).

Lift capacity 1000 kg
Lift heights up to 6.3 metres

TERGO FORTE UNS/UHS/UHH
Reach truck

Outstanding, RSI-minimising, fully adjustable driver compartment, tilting seat and mini-steering wheel with floating armrest. ATC truck computer with PIN code access and driver category setting, monitors truck operation and records driver activities. Stability Support System (S3) and tilting mast. 48V AC drive motor.

Lift capacity
 1400/1600/2000 kg
Lift heights up to 12.1 metres



TERGO FORTE UNS-TF
Reach truck. Telescopic forks



Space-saving double-deep variants of the most advanced reach truck on the market.

Lift capacity 1400/1600/2000 kg
Lift heights up to 12 metres



TERGO FORTE USS
Narrow chassis reach truck

For block stacking and drive-in racking. A perfectly normal reach truck for conventional stacking and pallet handling. Wide range of modular options.

Lift capacity 1400 kg
Lift heights up to 8.95 metres



TERGO FORTE UFS
Four-way reach truck

Multi-directional reach truck for stacking and transport of long and awkward loads in tight spaces. Also suitable for general pallet-handling duties.

Lift capacity 2000/2500 kg
Lift heights up to 9 metres



Order picking

TEMPO PP Low level order picker

Tempo PPL – with low step-in for ground and occasional first level picking. Stability Support System (S3) and servo steering optional.

Lift capacity 2000/2500 kg



Tempo PPD – with rapid driver platform lift for more frequent first level picking. Stability Support System (S3) and servo steering optional.

Lift capacity 2000/2500 kg

Tempo PPF – with adjustable fork height. Stability Support System (S3) and servo steering optional.

Lift capacity 1200 kg

Lift height 950 mm

Tempo PPC – combining rapid driver platform lift with adjustable fork height. Stability Support System (S3) and servo steering optional.

Lift capacity 1200 kg

Lift height 950 mm



Tempo PPS

– heavy duty scissor lift version with the option of rapid driver lift platform. Stability Support System (S3) and servo steering optional.

Lift capacity 2000 kg

Lift height 900 mm



OP High level order picker

OPM – picking up to 4.5 metres. For picking up to level 3.

Lift capacity

1000 kg

OPH – picking up to 6.9 metres. In wide and narrow guided aisles for racking or shelf storage.

Lift capacity 1000 kg

OPC – picking up to 7.8 metres. “Diagonal lift”. Optional positioning of controls and steering. In wide and narrow guided aisles for racking or shelf storage.

Lift capacity 1000 kg

OPS – picking up to 9.85 metres. Exceptional stability and safety for operating at extreme picking heights in wide or VNA guided aisles. Optional positioning of controls and steering.

Lift capacity 1000 kg

Narrow aisle handling

TERGO FORTE URF Swivel reach truck up to 10.35 meters

Very narrow aisle, man-down, swivel reach truck for stacking in guided aisles down to 1.6 m. A manoeuvrable truck for VNA and free-ranging around the warehouse. High stacking and high capacity with maximum comfort.

Lift capacity
1250/1500 kg

Lift heights
up to 10.35 metres



OMNI DCR/DCT VNA man-up stacker/picker

Very narrow aisle, man-up stackers/order pickers. For efficient stacking in rail or wire guided aisles down to 1.5 m. Rotating or shuttle/telescopic forks. Option of semi automatic system with positioning device.

Lift capacity
1000/1200/1400/1500 kg

Lift heights
up to 14.55 metres



Counterbalance

BALANCE RANGE, ELECTRIC

The ET/EF/EH electric counterbalance trucks are silent, easy-to-drive and efficient. They have top-class ergonomics with a fully adjustable driver compartment. On board truck computer offers PIN code access and service diagnostics. AC drive motor gives high class performance and low running costs. The Balance truck range comes with a full range of mast systems and an efficient battery changeover system.

ET 3-wheel counterbalance truck

48V three wheel CB truck for loading/unloading, stacking and internal transport, ideal for warehouses and terminals.

Lift capacity
1250/1500/1600/
1750/1800/2000 kg
Lift heights
up to 7.0 metres



EF 4-wheel counterbalance truck

48V four wheel CB truck for loading/unloading, stacking and internal transport. Four wheel for comfort on uneven surfaces, ideal for warehouse and factory floors.

Lift capacity
1600/1800/2000 kg
Lift heights
up to 7.0 metres



EH 4-wheel counterbalance truck

80V four wheel CB truck for safe and efficient indoor and outdoor operations. Comfortable counterbalance truck that satisfies demanding and heavy lifting requirements.

Lift capacity
2000/2500/3000 kg
Lift heights
up to 7.0 metres



BALANCE RANGE, IC

The G/D internal combustion (LPG/diesel) counterbalance trucks with car-like driveability – featuring advanced safety and efficiency enhancing technology. The meter panel provides on-board diagnostics for trouble-shooting. This truck range meets demanding environmental, financial and heavy lifting requirements. The Balance trucks come with a full selection of mast systems.

Balance G-RANGE – LPG engine: ECO selector for ECO mode gives significantly lower fuel consumption.
Balance D-RANGE – Diesel engine: Reliable and easy-to-start with rapid preheating.

GL/DL 4-wheel IC counterbalance truck

CB truck with world-class internal combustion engine. The universal counterbalance truck for rapid internal transport and loading/unloading.

Lift capacity
1500/1800/2000/2500/
3000/3200/3500 kg
Lift heights
up to 7.0 metres



GH/DH 4-wheel IC counterbalance truck

CB truck with world-class internal combustion engine. Wide range of optional extras ensures optimal adaptation to handling needs.

Lift capacity 3500/
4000/4500/5000 kg
Lift heights
up to 7.0 metres



GG/DG 4-wheel IC counterbalance truck

Reliable, stable and safe counterbalance truck with fuel saving engine technology. Convenient boarding, excellent all-around visibility and a powerful design made for rough handling.

Lift capacity 5000/6000/7000 kg
Lift heights up to 6.0 metres





ATLET

To us, business is personal

Atlet AB

S-435 82 Mölnlycke

Sweden

Tel +46 31-98 40 00

Fax +46 31-88 46 86

info@atlet.se

www.atlet.com

Your profitability is personal to us.

With the right solution, the right operation and the right truck, your total cost can be dramatically reduced. In a partnership with Atlet, you will get help in all these areas. The Atlet Total Package enables you to manage handling cost throughout the supply chain. Customers are our first priority and we go out of our way to ensure that your expectations are met.

We don't know any other way.

